

Factsheet

The HLS₁₉-VAC Instrument for measuring Vaccination Literacy

M-POHL
August 2023

Development of the Instrument

The HLS₁₉-VAC instrument is a 4-item questionnaire to measure vaccination literacy in general adult populations and is part of the HLS₁₉ family of health literacy (HL) instruments.

It was developed by a working group of the HLS₁₉ (Health Literacy Population Survey 2019–2021) Consortium. HLS₁₉ is the first project of the WHO Action Network on Measuring Population and Organizational Health Literacy (M-POHL; <https://m-pohl.net>), coordinated by the HLS₁₉ International Coordination Centre (ICC).

The HLS₁₉-VAC has been applied to large samples in 11 countries (Austria, Belgium, Bulgaria, Czech Republic, Germany, Hungary, Ireland, Italy, Norway, Portugal, Slovenia) using different data collection methods.

Underlying definition of vaccination literacy: The definition of vaccination HL is based on the integrative definition of comprehensive, general HL by the HLS-EU Consortium (Sørensen et al. 2012): Vaccination HL refers to individuals' knowledge, motivation, and skills to find, understand, evaluate and apply immunization-related information in order to make appropriate immunization decisions (cf. The HLS₁₉ Consortium of the WHO Action Network M-POHL 2021: Chapter 13).

Underlying concept of operationalization: The HLS₁₉-VAC instrument operationalizes four aspects of vaccination-related information management (to access/obtain, understand, appraise/judge/evaluate, and apply/use information on immunization) with one indicator for each aspect (cf. The HLS₁₉ Consortium of the WHO Action Network M-POHL 2021): Chapter 13). The items of the HLS₁₉-VAC instrument are a subset of the HLS₁₉-Q47 instrument, which is a revised version of the HLS-EU-Q47 questionnaire (Sørensen et al. 2013). Indicators were rated on a four-point Likert scale regarding the perceived difficulty of each task. As such, the HLS₁₉-VAC is a 'subjective' perception-based instrument.

Developed and validated for measuring vaccination HL in general adult national resident populations aged 18+.

Languages available: Bulgarian, Czech, Dutch, English, German, Hungarian, Italian, Norwegian, Portuguese, and Slovenian.

Description of the instrument

Introductory¹ and items in the English (original) version

“It is not always easy to get understandable, reliable, and useful information on health-related topics. With the following questions we would like to find out which tasks related to handling health information are more or less easy or difficult. On a scale from very easy to very difficult, how easy would you say it is ...

1. ... to find information on recommended vaccinations for you or your family? (q19 of HLS₁₉-Q47)
2. ... to understand why you or your family may need vaccinations? (q22 of HLS₁₉-Q47)
3. ... to judge which vaccinations you or your family may need? (q26 of HLS₁₉-Q47)
4. ... to decide if you should have a flu vaccination? (q29 of HLS₁₉-Q47)

Response categories: 4 “Very easy”, 3 “Easy”, 2 “Difficult”, 1 “Very difficult”, 999 “DK / Refusal (SPONTANEOUS)”

Calculation of the score: The HLS₁₉-VAC score is calculated as the mean of the numeric values of the items, scaled from 0 to 100. A higher score value signifies a higher level of Vaccination HL. If not all items contain valid responses, the score is set to “missing”.

Please note that the HLS₁₉ International Report (The HLS₁₉ Consortium of the WHO Action Network M-POHL 2021) used a different way of calculating the score.

Interpretation of the score: The HLS₁₉-VAC score is context-dependent, as the difficulty of the items reflects the interaction of personal abilities and contextual factors related to the country's health system.

Psychometric Properties

In the following, the main characteristics of the HLS₁₉-VAC score in 11 country-specific samples (general adult population, i.e., persons aged 18 and over) are summarized. Further below, the Cronbach's alpha coefficients and the results of confirmatory factor analyses, Partial Credit Models and Rasch analyses are shown.

¹ This wording was used in personal interviews (CAPI/PAPI) and online surveys (CAWI). In telephone interviews (CATI), the question was: “On a scale from very easy, easy, difficult, and very difficult, how easy would you say it is ...”

Table 1:
Main characteristics of the national surveys that collected vaccination HL as part of HLS₁₉

Country	Languages	Type of data collection	Sampling procedure	Period of data collection	Valid responses
Austria	German	CATI	Multi-stage random sampling	16.03.2020–26.05.2020	2,967
Belgium	Dutch, French	CAWI	Quota sampling	30.01.2020–28.02.2020 and 01.10.2020–26.10.2020	1,000
Bulgaria	Bulgarian	CAPI, CAWI	Proportional stratified sampling and random quota sampling and	15.08.2020–30.11.2020 and 01.04.2021– 01.06.2021	865
Czech Republic	Czech	CATI, CAWI	Random digital procedure and random quota sampling	10.11.2020–24.11.2020	1,599
Germany	German	PAPI	Multi-stage random and quota sampling	13.12.2019–27.01.2020	2,143
Hungary	Hungarian	CATI	Multi-stage random sampling	02.12.2020–20.12.2020	1,195
Ireland	English	CATI	Random digit dialing approach	24.07.2020–07.12.2020	4,487
Italy	Italian	CATI, CAWI	Proportional stratified sampling	08.04.2021–08.05.2021	3,500
Norway	Norwegian	CATI	Random sampling procedure within each stratum	04.04.2020–13.05.2020	2,855
Portugal	Portuguese	CATI	Random stratified sampling	10.12.2020–13.01.2021	1,247
Slovenia	Slovenian	CAPI, paper-and-pencil*, CAWI	Multi-stage random sampling	09.03.2020–15.03.2020 and 09.06.2020–10.08.2020	3,360

CATI Computer-assisted telephone interview
CAWI Computer-assisted web-based interview
CAPI Computer-assisted personal interview
PAPI Paper-assisted personal interview

*Paper-and-pencil was used only in 12 interviews in Slovenia

Source: HLS₁₉ Consortium

Cronbach's alpha: The Cronbach's alpha coefficients range from 0.71 (Bulgaria) to 0.88 (Belgium) with a mean of 0.78 (Table 2).

Single-Factor Confirmatory Factor Models by country [CFA]: The Standardized Root Mean Square Residual [SRMSR] (should be ≤ 0.08), the Root Mean Square Error of Approximation [RMSEA] (≤ 0.06), the Comparative Fit Index [CFI] (≥ 0.95), the Tucker-Lewis Index [TLI], the Goodness of Fit Index [GFI], and the Adjusted Goodness of Fit Index [AGFI] indicate a good model-data fit for all of the 11 surveys for the items (Table 2).

Table 2:
Cronbach's alpha and Single-Factor Confirmatory Factor Analysis

Country	Cronbach's alpha	Single-Factor Confirmatory Factor Analysis		
		SRMSR	RMSEA	CFI
Austria	0.82	0.02	0.06	1.00
Belgium	0.88	0.01	0.02	1.00
Bulgaria	0.71	0.01	0.00	1.00
Czech Republic	0.79	0.02	0.04	1.00
Germany	0.76	0.01	0.00	1.00
Hungary	0.78	0.01	0.02	1.00
Ireland	0.77	0.04	0.10	0.99
Italy	0.81	0.01	0.02	1.00
Norway	0.77	0.01	0.02	1.00
Portugal	0.72	0.01	0.00	1.00
Slovenia	0.80	0.02	0.05	1.00

CFI=Comparative Fit Index; RMSEA=Root Mean Square Error of Approximation; SRMSR=Standardized Root Mean Square Residual

Source: HLS₁₉ Consortium

Rasch Partial Credit Model (PCM): The results of the PCM model fit in each country-specific sample are based on the four polytomous HLS₁₉-VAC items (with four response categories very easy, easy, difficult, very difficult). When testing the data against the PCM for each country, the HLS₁₉-VAC shows sufficient overall data-model fit in the Czech Republic, Germany, Hungary, Ireland, and Italy, and acceptable overall data-model fit in Austria, Belgium, Norway, and Slovenia. Data collected in Bulgaria and Portugal show rather poor overall data-model fit. Each of the four HLS₁₉-VAC items displayed ordered response categories, and no "significant" response dependencies between items were observed. The HLS₁₉-VAC items show differential item functioning (DIF) for country/language, which means that the HLS₁₉-VAC scale does not measure invariantly across countries. The HLS₁₉-VAC items also display DIF for various person factors, such as age and gender, but there is no consistent pattern across countries.

The HLS₁₉-VAC is sufficiently unidimensional and measures a single latent trait or factor. For details, please see Chapter 13.2.2 in The HLS₁₉ Consortium of the WHO Action Network M-POHL (2021).

Distribution of HLS₁₉-VAC score: The 4 vaccination-related HL tasks mentioned above (finding information about vaccinations, understanding why one needs to get vaccinated, judging which vaccinations one needs, and deciding to get vaccinated using flu vaccination as an example), were perceived as manageable by most respondents and resulted in skewed score distributions in the 11 country-specific HLS₁₉ samples.

Validity

Content and face validity are ensured by using the theory-based definition of vaccination HL to select and operationalize the included indicators.

Discriminant validity: Country-wise Rasch analysis indicates that the combination of the HLS₁₉-VAC scale and the HLS₁₉-Q12 scale (for General HL) yields a two-dimensional scale, indicating that the HLS₁₉-VAC scale and the HLS₁₉-Q12 scale measure different latent traits. These results from Rasch-

modelling were strengthened by country-specific confirmatory factor analyses comparing a two-factor model based on the HLS₁₉-VAC items (factor 1) and the HLS₁₉-Q12 items (factor 2) with a one-factor model including all 16 items.

Concurrent predictive validity: The HLS₁₉-VAC score has a social gradient in all 11 samples. Additional data on “vaccination behavior” were collected in 7 of the 11 countries, and an association between self-reported vaccination behavior and VAC HL was observed in 5 countries.

Summarizing: Using multi-stage random or quota sampling procedures, the HLS₁₉-VAC has been validated for 4 modes of data collection (PAPI, CAPI, CATI, CAWI) and for multiple languages in large samples. The HLS₁₉-VAC scale has sufficient psychometric properties and validity for large-scale measurements.

Use of the Instrument

Procedure for obtaining the instrument: The ownership of the HLS₁₉-VAC rests with the HLS₁₉ Consortium, which developed the instrument. The HLS₁₉-VAC can be used by third parties for research purposes free of charge but requires a contractual agreement between the user and the ICC of the HLS₁₉ Consortium. An application form for getting permission agreement is available at <https://m-pohl.net/HLS19Instruments>.

Address any questions to: The International Coordination Centre (ICC) of the HLS₁₉ Project, located at:

Gesundheit Österreich GmbH
Stubenring 6
AT-1010 Vienna
christa.strassmayr@goeg.at

The HLS₁₉-VAC is part of a family of instruments also measuring different types of HL (please see <https://m-pohl.net/HLS19Design%26Methods>):

- » HLS₁₉-Q12, HLS₁₉-Q16 and HLS₁₉-Q47 to measure General Health Literacy
- » HLS₁₉-COM-P-Q11 (long form) and HLS₁₉-COM-P-Q6 (short form) to measure Communicative Health Literacy
- » HLS₁₉-NAV to measure Navigational Health Literacy
- » HLS₁₉-DIGI to measure Digital Health Literacy

This factsheet is also available **in French**.

References

Sørensen, K.; Van den Broucke, S.; Fullam, J.; Doyle, G.; Pelikan, J.; Slonska, Z.; Brand, H.; Consortium Health Literacy Project, European (2012): Health literacy and public health: a systematic review and integration of definitions and models. In: BMC Public Health 12/80

Sørensen, K.; Van den Broucke, S.; Pelikan, J. M.; Fullam, J.; Doyle, G.; Slonska, Z.; Kondilis, B.; Stoffels, V.; Osborne, R. H.; Brand, H.; Consortium, HLS-EU (2013): Measuring health literacy in populations: illuminating the design and development process of the European Health Literacy Survey Questionnaire (HLS-EU-Q). In: BMC Public Health Oct/13:948

The HLS₁₉ Consortium of the WHO Action Network M-POHL (2021): International Report on the Methodology, Results, and Recommendations of the European Health Literacy Population Survey 2019–2021 (HLS₁₉) of M-POHL. Austrian National Public Health Institute, Vienna (https://m-pohl.net/Int_Report_methodology_results_recommendations)

A list of further publications relating to the instruments can be found at:

» <https://m-pohl.net/Results>

Citation: The HLS₁₉ Consortium of the WHO Action Network M-POHL (2023): The HLS₁₉-VAC Instrument for measuring Vaccination Literacy. Factsheet. Austrian National Public Health Institute, Vienna
