

Factsheet

Assessing Organizational Health Literacy

M-POHL
September 2023

Why assess organizational health literacy in parallel to the population measurement by HLS_{24/25}?

General adult population surveys like the most recently conducted European Health Literacy Population Survey 2019–2021 (HLS₁₉), but also HLS–EU and earlier studies, demonstrated the relevance of general health literacy (HL) and of specific HLs: considerable proportions of adult residents reported low HLs, HLs are associated with a social gradient, and there are significant potential effects of HLs on health–relevant indicators. But it is difficult to improve the low HL of people just by offering learning opportunities. For that, people must first be reached to attend these offers which is especially difficult for members of disadvantaged or vulnerable groups. Second, in any case it will take time to improve the personal HL of great numbers of people, and third, the relevant content of HL is changing continuously, thus permanent education would be necessary. Fourth, knowledge that is not continuously applied in practice is quickly forgotten. An exception to this is the necessity of offering specific learning opportunity to patients with chronic diseases. But for people in general, it makes more sense to address low HL also or even primarily on the level of the organizations where people make decision and act in relation to their health.

In the US, the concept of the health literate health care organization was developed for that purpose (Brach et al. 2012). Concepts for other kinds of organizations followed (Kickbusch et al. 2013). But, since HL seems to be more relevant for the outcomes of the healthcare sector than for the outcomes of other sectors, and since high proportions of patients are affected by low HL, most of the existing models, instruments and assessment tools still focus on the health care sector. In the meantime, more complex models, and definitions, as well as measurement instruments, have been developed for ‘health literate’ or ‘health literate responsive’ or ‘health literate friendly’ organizations or organizational HL (OHL), respectively. As far as more complex models and instruments are concerned the two newer ones, integrating partly earlier ones, are the Australian organisational health literacy responsiveness framework (Org–HLR) and self–assessment tool (Trezona et al. 2017; Trezona et al. 2018) and the Vienna concept and self–assessment tool (Dietscher/Pelikan 2017; Pelikan 2019), in its further developed international version OHL–Hos (International Working Group Health Promoting Hospitals and Health Literate Health Care Organizations (Working Group HPH & HLO) 2019), which takes low HL of its stakeholders not only into account to compensate but also to improve it.

These conceptualizations are based on the relational understanding of HL, meaning that a person’s actual HL is not only determined by his or her personal knowledge, skills, and abilities, but also by

the demands the person faces in his or her health and healthcare environment when taking and performing health-related decisions and actions. By taking low HL of their users into account, health systems and organizations in diverse sectors can compensate for, or even improve, the actual HL of their users. The degree to which they can do so depends on relevant features of the organization, such as the availability of trained staff, or the quality of information material offered. In this sense, OHL concepts typically draw on organizational development approaches. Accordingly, to develop OHL, the relevant organizational structures and processes need to be identified and operationalized for measurement to assess, in a first step, the actual OHL status of an organization, which is a precondition to deduct and implement interventions for improvement in a second step.

One of the ways to improve OHL would be by integrating the approach into organizational quality management schemes. Therefore, already in 2022, M-POHL initiated a project in which the international OHL-Hos tool is translated, cultural adapted in the participating countries, and piloted in at least one hospital in some participating countries. For primary care/integrated care organizations a generic version (adapted from the OHL-Hos) in English language was developed.

Why should your country participate in the M-POHL project on assessing OHL?

As outlined above, in the long run, OHL seems to be a more effective approach to improving the HL of people than a focus on individual interventions alone. Therefore, M-POHL wants to strengthen the evidence for the approach through supporting countries to assess OHL. In addition, there is at least anecdotal evidence that OHL approaches can help to reduce medical errors, enhance patient safety, and healthcare effectiveness. Thus, the approach appears beneficial for healthcare users and the healthcare system alike. Countries participating in the project will either get a tool for assessing OHL in hospitals or primary care services and some support for translating, culturally adapting, and piloting it, and/or can contribute to developing a shortened tool for assessing OHL in hospitals. Furthermore, there will be an international exchange of experiences with translation, cultural adaptation, piloting, and later for implementing OHL by roll out procedures in the countries.

Objectives of the M-POHL project on assessing OHL

The main aim of the OHL Project is:

- » to initiate and facilitate the assessment of organisational health literacy in hospitals and primary health care services/integrated services by developing, providing, and disseminating organisational HL assessment tools.

Thereby we aim to support health care organizations

- » to engage with the issue of organisational HL,
- » to obtain information about the strengths and weaknesses of organizational HL in their organization, and
- » based on the above, to improve their organizational HL.

Workplan of the M-POHL project on assessing OHL

Building on the experiences and results of the 2022 project, a first step will be to translate and culturally adapt the OHL tools for hospitals and primary health care services to the national languages of the participating countries (respectively, when this was done in 2022, slight changes will be integrated in already existing translations). For piloting and rolling out the tools, countries will have to recruit hospitals and primary care/integrated care organizations. On the level of the recruited organizations, data generation will be performed by a two-step self-assessment approach (individual and joint assessment). To facilitate the work in the participating organizations, supporting tools and training workshops will be provided by the International Coordination Center (ICC). The ICC will also draft an international report that will be finalised together with representatives of participating countries, and will support international and national scientific articles.

Figure 1:
Timeline of the M-POHL project on assessing OHL



Source: M-POHL

Funding of the M-POHL project on assessing OHL

The ICC will provide international coordination, administration, and scientific support, which includes to lead the establishing of final measurement tools, research protocols, supporting tools (documents and workshops), oversee data collection, coordinate international reporting and editing, and support national publishing. The OHL participating countries will share the costs of the ICC according to their GNI. The national fees for the international support of the ICC were agreed by the M-POHL General Assembly at the 15th M-POHL Meeting in June 2023.

In addition to the project fee, each participating country will need to ensure funds for the following national activities:

1. necessary translations and cultural adaptations of the self-assessment tools from English into national language(s),
2. coordination and recruiting of organizations for data generation,
3. national collection and analysis of data, publication, and dissemination of national results,

4. (possible) travel costs for participation of national policy representatives and principal investigators in project meetings (one personal meeting each year is envisaged from 2024),
5. any contributions to the international development of OHL; especially active participation in working groups.

Typically, national participation in the OHL project will be commissioned by a MoH or other public policy body. Financing of the OHL activities needs to be in line with WHO funding rules. This applies to all actors involved in the project. In case of the involvement of non-state actors, they will have to meet the funding criteria outlined in the Framework of Engagement with Non-State Actors (FENSA) (see https://apps.who.int/gb/ebwha/pdf_files/wha69/a69_r10-en.pdf).

Literatur

Brach, C.; Keller, D.; Hernandez, L. M.; Baur, C.; Parker, R.; Dreyer, B.; Schyve, P.; Lemerise, A. J.; Schillinger, D. (2012): Ten attributes of health literate health care organizations. Institute of Medicine., unveröffentlicht

Dietscher, Christina; Pelikan, Jürgen M. (2017): Health-literate Hospitals and Healthcare Organizations – Results from an Austrian Feasibility Study on the Selfassessment of organizational Health Literacy in Hospitals. In: Health Literacy Forschungsstand und Perspektiven. Hg. v. Schaeffer, Doris; Pelikan, Jürgen M. hogrefe, Bern. S. 303–S. 313

International Working Group Health Promoting Hospitals and Health Literate Health Care Organizations (Working Group HPH & HLO) (2019): International Self-Assessment Tool Organizational Health Literacy (Responsiveness) for Hospitals – SAT-OHL-Hos-v1.1-EN-international. WHO Collaborating Centre for Health Promotion in Hospitals and Health Care (CC-HPH). Vienna

Kickbusch, Ilona; Pelikan, Jürgen M.; Apfel, Franklin; Tsouros, Agis D. (2013): Health literacy: The solid facts. World Health Organization (WHO) Regional Office for Europe, Copenhagen

Pelikan, J (2019): Health-literate healthcare organizations. In: International Handbook of Health Literacy – Research, Practice and Policy across the Life-Span. Hg. v. Okan, O, Bauer, U, Pinheiro, P, Levin-Zamir, D, Sørensen, K. Policy Press, 539–554

Trezona, A.; Dodson, S.; Osborne, R. H. (2017): Development of the organisational health literacy responsiveness (Org-HLR) framework in collaboration with health and social services professionals. In: BMC Health Serv Res 17/1:513

Trezona, A.; Dodson, S.; Osborne, R. H. (2018): Development of the Organisational Health Literacy Responsiveness (Org-HLR) self-assessment tool and process. In: BMC Health Serv Res 2018/18:694

Citation: M-POHL (2023): Assessing Organizational Health Literacy. Factsheet. International Coordination Center of M-POHL and its projects at the Austrian National Public Health Institute, Vienna
